

| Type | Hits | Search Text   | DBs   | Time Stamp           | Comment | Error Definition |
|------|------|---|---|----------------------|---------|------------------|
| e    |      |   |   |                      |         |                  |
| 1    | IS&R | (( "5058800") OR<br>("5223453") OR<br>("5739549")) .PN.   | USPAT   | 2004/05/1<br>7 12:24 |         |                  |
| 2    | BRS  | 6354 ( substrate with<br>heat\$3) and induction   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/1<br>3 17:31 |         |                  |
| 3    | BRS  | 1340 (( substrate with<br>heat\$3) and induction)<br>and electromagnetic  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/1<br>3 17:28 |         |                  |
| 4    | BRS  | 113 ((( substrate with<br>heat\$3) and induction)<br>and electromagnetic)<br>and ( specific with<br>resistance) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/1<br>3 17:28 |         |                  |
| 5    | BRS  | 425 electromagnetic with<br>heating with substrate  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/1<br>3 17:32 |         |                  |
| 6    | BRS  | 30 (electromagnetic with<br>heating with<br>substrate) and<br>( specific adj<br>resistance)                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/1<br>4 15:02 |         |                  |

| Type | Hits | Search Text | DBs   | Time Stamp  | Comment              | Error Definition |
|------|------|-------------|---|---|----------------------|------------------|
| e    |      |             |   |   |                      |                  |
| 7    | BRS  | 2131        | electromagnetic with heating with radiation   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/1<br>4 15:02 |                  |
| 8    | BRS  | 22          | (electromagnetic with heating with radiation) and eddy and substrate                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/1<br>4 15:54 |                  |
| 9    | BRS  | 3           | (electromagnetic with heating with radiation) and eddy and substrate and magnet             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/1<br>4 15:56 |                  |
| 10   | BRS  | 281         | (eddy with current with heat\$3) and radiation and magnet                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/1<br>4 15:58 |                  |
| 11   | BRS  | 66          | ((eddy with current with heat\$3) and radiation and magnet) and substrate and semiconductor | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/1<br>4 15:58 |                  |
| 12   | BRS  | 7           | 438/530, 540, 589, 661, 680, 681, 684, 799 .ccls . and eddy                                 | USPAT;<br>US-PGPUB                                      | 2004/05/1<br>7 13:24 |                  |

| Type | Hits | Search Text   | DBs   | Time Stamp           | Comment | Error Definition |
|------|------|---|-------|----------------------|---------|------------------|
| e    |      |   |       |                      |         |                  |
| 13   | BRS  | 3618 doping with resistance                                 | USPAT | 2004/05/1<br>7 13:27 |         |                  |
| 14   | BRS  | (doping with resistance) and (specific with resistance)     | USPAT | 2004/05/1<br>7 13:25 |         |                  |
| 15   | BRS  | doping near (specific with resistance)                      | USPAT | 2004/05/1<br>7 13:25 |         |                  |
| 16   | BRS  | doping near resistance                                      | USPAT | 2004/05/1<br>7 13:26 |         |                  |
| 17   | BRS  | doping same resistance                                      | USPAT | 2004/05/1<br>7 13:26 |         |                  |
| 18   | BRS  | (doping with resistance) and impurity                       | USPAT | 2004/05/1<br>7 13:50 |         |                  |
| 19   | BRS  | 47294 source with resistance                                | USPAT | 2004/05/1<br>7 13:51 |         |                  |
| 20   | BRS  | 15439 impurity same resistance                              | USPAT | 2004/05/1<br>7 13:51 |         |                  |
| 21   | BRS  | 2655 impurity with concentration with resistance            | USPAT | 2004/05/1<br>7 13:54 |         |                  |
| 22   | BRS  | (impurity with concentration with resistance) and capacitor | USPAT | 2004/05/1<br>7 13:57 |         |                  |

| Type | Hits | Search Text | DBs   | Time Stamp | Comments             | Error Definition |
|------|------|-------------|---|------------|----------------------|------------------|
| e    |      |             |   |            |                      |                  |
| 23   | BRS  | 393         | (specific with<br>resistance) with<br>impurity                        | USPAT      | 2004/05/1<br>7 13:59 |                  |
| 24   | BRS  | 324         | ((specific with<br>resistance) with<br>impurity) and<br>semiconductor | USPAT      | 2004/05/1<br>7 13:59 |                  |